



UTTAR PRADESH POLLUTION CONTROL BOARD

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -
145252/UPPCB/Saharanpur(UPPCBRO)/CTO/w
ater/SAHARANPUR/2021

Dated : 30/12/2021

To ,

Shri SHRIDEEPAK CHAUDHARI
M/s MS STAR MINES
Yamuna River, SAHARANPUR,247121
SAHARANPUR

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. MS STAR MINES

Reference Application No :14461112

Dated :30/12/2021

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act) M/s. MS STAR MINES is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in reference to their foresaid application .
2. This consent is valid for the period from 18/12/2021 to 31/12/2025 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Previntion and Controt of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Chief Environmental Officer (Circle 3)

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, U.P. Pollution Control Board, Saharanpur to ensure the compliance of the conditions imposed in the certificate.

Chief Environmental Officer (Circle 3)

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.MS STAR MINES vide

Consent Order No. 14461112/ Water

Dated : 30/12/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Mining of Sand/Bajri/Boulder-7,56,000 cubic Meter /Annum. .
2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effluent	Maximum daily discharge,KL/day	Treatment facility and discharge point
1	Domestic	1.5 KLD	Septic Tank

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	1.5 KLD
2	Total Suspended Solids	AS PER E(P) RULES, 1986
3	BOD	AS PER E(P) RULES, 1986
4	Oil & Grease	AS PER E(P) RULES, 1986
5	COD	AS PER E(P) RULES, 1986

- 4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effluent		
S.No	Parameter	Standard

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .
6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .
7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .
9. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. This CTO is valid only for Mining of Sand/Bajri/Boulder-7,56,000 cubic Meter /Annum.
2. Industry shall comply the all condition of Environmental Clearance issued by SEIAA dated-26.03.2021.
3. The ground water shall be abstracted after obtaining NOC from the SGWA and its copy may be submitted to the Board within 3 months.
4. Industry shall be bound by the directions/orders passed by Hon'ble National Green Tribunal in Appeal No-15/2021 (I.A. No-119/2021 and I.A. No-120/2021) from time to time.
5. Provisions of the replenishment study submitted by the project proponent have to be strictly complied with.
6. This CTO shall be strictly subject to the orders to be passed time to time in Appeal No-15/2021 (I.A. No-119/2021 and I.A. No-120/2021) by Hon'ble NGT" with respect to the unit.
7. The unit shall strictly comply with all the provisions of the notarized affidavit dated 17.12.2021 as submitted by the project proponent.
8. Unit must strictly comply with all the recommendations of the joint committee constituted by Hon'ble NGT before starting the mining operations.
9. If the penalty of Rs. 11,00,50,840/- as recommended by the Joint Committee is confirmed by the Hon'ble NGT then the CTO Water/Air issued by the Board shall be deemed cancelled
10. If the penalty of Rs. 11,00,50,840/- as recommended by the Joint Committee is confirmed by the Hon'ble NGT then the directions given by the Board vide letter no-H 43551/C-1/NGT-41/2019, dated-11.11.2019 will have to be complied with.
11. Industry shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.
12. The unit obtains amended Environment Clearance from SEIAA and complies with all the conditions of modified E.C.
13. Units CTO will be subject to following all the recommendations as proposed by the joint committee in its report dated 26.10.2021.
14. Units CTO may be withdrawn anytime by the UPPCB in case of non compliance of any conditions or in the case of a verified complaint against the unit.
15. The unit shall strictly comply with all the provisions of the notarized affidavit dated 17.12.2021 as submitted by the project proponent.
16. To control the dust emission proper size water sprinkler and dust arrester shall be installed and its operation will be essential during the process period.
17. The Board reserves the right to revoke this CTO which is being granted to the said industry at any time in case if the industry is violating any of the conditions of the consent to establish.
18. In case of violation of above mentioned conditions or any public complaint the CTO shall be withdrawn in accordance with law.
19. Industry shall submit first compliance report with respect to conditions imposed within 30 days of issue of this permission.
20. Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
21. The unit shall obtain prior consents in the event of any addition of new emission generation

sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).

22. Industry shall not use more than 1.5 KLD for domestic purpose, 12 KLD for dust suppression and 4.7 KLD for plantation. Water shall not be used in any manufacturing process in the industry.

23. This CTO will automatically stand cancelled on receipt of any complaint in future and on confirmation of investigation in the course of the complaint and non compliance of the directions/orders passed by Hon'ble National Green Tribunal in Appeal No-15/2021 (I.A. No-119/2021 and I.A. No-120/2021) from time to time.

24. The mining work should be done by the project proponent in such a way that the contour of the river is not changed.

25. Mining should not be done by the project proponent after sunset or at night.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Chief Environmental Officer (Circle 3)